

## Asst. Prof. Bahattin Alper GÜLTEKİN

### Personal Information

Office Phone: [+90 212 414 2020](tel:+902124142020) Extension: 30318

Office Phone: [+90 216 339 8283](tel:+902163398283)

Fax Phone: [+90 212 532 3254](tel:+902125323254)

Email: [alperg@istanbul.edu.tr](mailto:alperg@istanbul.edu.tr)

Web: <http://aves.istanbul.edu.tr/3389/>



### International Researcher IDs

ORCID: 0000-0002-7139-3572

Publons / Web Of Science ResearcherID: AAB-3474-2020

Yoksis Researcher ID: 109705

### Education Information

Doctorate, Istanbul University, İstanbul Üniversitesi Diş Hekim Fakültesi, Oral İmplantoloji Ad,  
Turkey 2002 - 2009

### Foreign Languages

English, C1 Advanced

### Certificates, Courses and Trainings

Health&Medicine, Oral implantoloji, Oral implantoloji, 2012

### Dissertations

Doctorate, Farklı platform boyutlarına sahip implantların peri-implanter dokular üzerindeki etkilerinin klinik incelenmesi  
, Istanbul University, Faculty of Dentistry, Oral İmplantoloji Ad, 2009

### Research Areas

Health Sciences, Dentistry, Clinical Sciences, Oral Implantology

### Academic Titles / Tasks

Research Assistant PhD, Istanbul University, Faculty of Dentistry, Division of Clinical Sciences, 2009 - Continues

### Academic and Administrative Experience

## Published journal articles indexed by SCI, SSCI, and AHCI

- I. **Comparison of Allogeneic Bone Plate and Guided Bone Regeneration Efficiency in Horizontally Deficient Maxillary Alveolar Ridges**  
Cinar I. C., Gultekin B. A., Saglanmak A., AKAY A. S., Zboun M., Mijiritsky E.  
APPLIED SCIENCES-BASEL, vol.12, no.20, 2022 (SCI-Expanded)
- II. **Effect of soft tissue thickness on crestal bone loss of early loaded implants with platform switching: 1- and 5-year data**  
Sağlanmak A., Gültekin B. A., Çinar İ. Ç., Moncler S. S., Karabuda Z. C.  
Quintessence International, no.52, pp.2-9, 2021 (SCI-Expanded)
- III. **Presence of ROS in Inflammatory Environment of Peri-Implantitis Tissue: In Vitro and In Vivo Human Evidence**  
MIJIRITSKY E., FERRONI L., GARDIN C., PELEG O., GÜLTEKİN B. A., SAĞLANMAK A., DELOGU L., MITRECIC D., PIATTELLI A., TATULLO M., et al.  
JOURNAL OF CLINICAL MEDICINE, vol.9, no.1, pp.38-53, 2019 (SCI-Expanded)
- IV. **Clinical and 3-Dimensional Radiographic Evaluation of Autogenous Iliac Block Bone Grafting and Guided Bone Regeneration in Patients With Atrophic Maxilla**  
Gultekin B. A., Cansiz E., BORAHAN M. O.  
JOURNAL OF ORAL AND MAXILLOFACIAL SURGERY, vol.75, no.4, pp.709-722, 2017 (SCI-Expanded)
- V. **Evaluation of graft resorption following anterior iliac crest bone grafting for the reconstruction of deficient alveolar ridges via general and combined spinal epidural anaesthesia**  
CANSIZ E., GÜLTEKİN B. A., ŞİTİLCİ A. T., İŞLER S. C.  
INTERNATIONAL JOURNAL OF ORAL AND MAXILLOFACIAL SURGERY, vol.46, no.1, pp.266, 2017 (SCI-Expanded)
- VI. **Comparison of Bone Resorption Rates after Intraoral Block Bone and Guided Bone Regeneration Augmentation for the Reconstruction of Horizontally Deficient Maxillary Alveolar Ridges**  
GÜLTEKİN B. A., Bedeloğlu E., KÖSE T. E., Mijiritsky E.  
BIOMED RESEARCH INTERNATIONAL, vol.1, pp.1-9, 2016 (SCI-Expanded)
- VII. **Two Composite Bone Graft Substitutes for Maxillary Sinus Floor Augmentation: Histological, Histomorphometric, and Radiographic Analyses**  
AHMET S., Alper G., Karabuda Z. C., Olgac V.  
IMPLANT DENTISTRY, vol.25, no.3, pp.313-321, 2016 (SCI-Expanded)
- VIII. **Evaluation of Volumetric Changes of Augmented Maxillary Sinus With Different Bone Grafting Biomaterials.**  
GÜLTEKİN B. A., Cansiz E., Borahan M. O., Mongano C., Kolerman R., Mijiritsky E., YALÇIN S.  
JOURNAL OF CRANIOFACIAL SURGERY, vol.27, pp.144-148, 2016 (SCI-Expanded)
- IX. **Evaluation of Volumetric Changes of Augmented Maxillary Sinus With Different Bone Grafting Biomaterials.**  
Gultekin B. A., Cansiz E., BORAHAN O., MANGANO C., KOLERMAN R., MIJIRITSKY E., Yalcin S.  
The Journal of craniofacial surgery, vol.27, 2016 (SCI-Expanded)
- X. **Three-Dimensional Assessment of Volumetric Changes in Sinuses Augmented with Two Different Bone Substitutes.**  
Gultekin B. A., BORAHAN O., SIRALI A., Karabuda Z. C., MIJIRITSKY E.  
BioMed research international, vol.2016, pp.4085079, 2016 (SCI-Expanded)
- XI. **Clinical evaluation of marginal bone loss and stability in two types of submerged dental implants.**  
Gultekin B. A., Gultekin P., Leblebicioglu B., Basegmez C., Yalcin S.  
The International journal of oral & maxillofacial implants, vol.28, no.3, pp.815-23, 2013 (SCI-Expanded)
- XII. **Cement selection for implant-supported crowns fabricated with different luting space settings.**  
Gultekin P., Gultekin B. A., Aydın M., Yalcin S.  
Journal of prosthodontics : official journal of the American College of Prosthodontists, vol.22, no.2, pp.112-9, 2013 (SCI-Expanded)
- XIII. **Influence of Arch Shape and Implant Position on Stress Distribution Around Implants Supporting Fixed Full-Arch Prosthesis in Edentulous Maxilla**

## Articles Published in Other Journals

- I. **Histologic and histomorphometric comparison of bone regeneration between bone morphogenetic protein-2 and platelet- derived growth factor-BB in experimental groups**  
ERSANLI S., güven g., güven g., GÜLTEKİN B. A., GÜZEL MEYDANLI E. E.  
the journal of craniofacial surgery, vol.1, pp.1-5, 2016 (Peer-Reviewed Journal)
- II. **Oral İmplantolojide Lazer Kullanımı: Derleme**  
Gültekin B. A., Çınar İ. Ç., Yalçın S.  
Türk Dişhekimliği Dergisi, vol.24, no.93, pp.4-8, 2016 (Non Peer-Reviewed Journal)
- III. **Bimaksiller Hiperatrofisi Olan Hastanın İlyak Kemik Grefti İle Rekonstrüksiyonu**  
CANSIZ E., Tuğrul Turgut C., GÜLTEKİN B. A.  
Oral İmplantoloji Dergisi, vol.16, no.2, pp.31-33, 2015 (Peer-Reviewed Journal)
- IV. **Sert doku defektlerinde rezorbe olmayan membranların kullanımının değerlendirilmesi: Vaka serisi**  
GÜLTEKİN B. A., Çınar İ. Ç., GÜLTEKİN P., YALÇIN S.  
Türk Dişhekimliği Dergisi, vol.23, no.92, pp.20-27, 2015 (Peer-Reviewed Journal)
- V. **Atrofik Mandibulada İmplant Yerleşimi İçin Yapılan Sinir Lateralizasyon Tekniğinin Başarı Ve Morbiditesinin Değerlendirilmesi**  
Kızılaslan S., GÜLTEKİN B. A., CANSIZ E., KARABUDA Z. C.  
Oral İmplantoloji, vol.15, no.2, pp.10-16, 2014 (Peer-Reviewed Journal)
- VI. **Oral İmplantolojide Zirkonyum İmplantlar. Olgu Sunumu**  
Çakar Ş., ÇİNAR İ. Ç., Özüygür B., Gültekin B. A., Yalçın S.  
Oral İmplantoloji Dergisi, vol.13, pp.19-24, 2012 (Non Peer-Reviewed Journal)
- VII. **Effect of Cement Type on Retention of Implant-Supported Crowns**  
Gultekin P., GÜLTEKİN B. A.  
JOURNAL OF ISTANBUL UNIVERSITY FACULTY OF DENTISTRY, vol.46, no.1, pp.43-52, 2012 (ESCI)
- VIII. **Farklı simanların implantüstü kuron protezlerinin tutuculuğuna etkisi**  
GÜLTEKİN P., GÜLTEKİN B. A.  
İstanbul Üniversitesi Diş Hekimliği Fakültesi Dergisi, vol.46, pp.43-52, 2012 (Peer-Reviewed Journal)
- IX. **İmplant-post bağlantısı ve peri-implantitis ile ilişkisi**  
Tuncer C. D., GÜLTEKİN B. A., KARABUDA Z. C.  
Oral İmplantoloji Dergisi, vol.12, pp.18-23, 2011 (Peer-Reviewed Journal)
- X. **Trombosit kaynaklı büyüme faktörünün (PDGF) dişhekimliğinde kullanımı**  
Şiraliyev A., GÜLTEKİN B. A., Özüygür B., YALÇIN S.  
Oral İmplantoloji Dergisi, vol.12, pp.12-15, 2011 (Peer-Reviewed Journal)
- XI. **Rezorbe Olmayan d-PTFE Membranların Çekim Soketlerinde Kullanımı: Vaka Sunumu**  
GÜLTEKİN B. A., Şiraliyev S., GÜLTEKİN P., BÖLÜKBAŞI N., YALÇIN S.  
Oral İmpalntoloji Dergisi, vol.11, no.2, pp.6-12, 2010 (Peer-Reviewed Journal)
- XII. **Rezorbe olmayan d-PTFE membranların çekim soketlerinde kullanımı: Vaka sunumu**  
GÜLTEKİN B. A., Şiraliyev A., GÜLTEKİN P., Bölükbaşı N., YALÇIN S.  
Oral İmplantoloji Dergisi, vol.11, pp.6-12, 2010 (Peer-Reviewed Journal)
- XIII. **Kalsiyum sülfat ile karıştırılan iki farklı greft materyalinin maksiller sinüs ogmentasyonunda kullanımı: Vaka raporu**  
Ahmet Ş., GÜLTEKİN B. A., Aslan E., KARABUDA Z. C.  
Oral İmplantoloji Dergisi, vol.11, pp.22-27, 2010 (Peer-Reviewed Journal)
- XIV. **Oral İmplantolojide Zirkonyum Postların Klinik Uygulamaları**  
YALÇIN S., GÜLTEKİN B. A.  
Oral İmplantoloji Dergisi, vol.11, no.1, pp.36-40, 2010 (Peer-Reviewed Journal)

- XV. **İmplant-post bağlantısının İmplantolojide Önemi**  
YALÇIN S., GÜLTEKİN B. A.  
Oral İmplantoloji Dergisi, vol.11, no.1, pp.26-30, 2010 (Peer-Reviewed Journal)
- XVI. **Anterior bölgede immediyat implantasyon ve immediyat yükleme**  
YALÇIN S., GÜLTEKİN B. A.  
Oral İmplantoloji Dergisi, vol.11, no.1, pp.12-15, 2010 (Peer-Reviewed Journal)
- XVII. **Rezorbe olmayan d-PTFE membranların çekim soketlerinde kullanımı: vaka sunumu.**  
GÜLTEKİN B. A., Şiraliyev Ş., GÜLTEKİN P., BÖLÜKBAŞI N., YALÇIN S.  
Oral İmplantoloji Dergisi, vol.11, no.2, pp.6-12, 2010 (Peer-Reviewed Journal)
- XVIII. **Zirkonyum dioksit esaslı implant üstü dayanaklar**  
GÜLTEKİN P., GÜLTEKİN B. A., Gürbüz E.  
Oral İmplantoloji Dergisi, vol.10, no.1, pp.33-36, 2009 (Peer-Reviewed Journal)
- XIX. **Oral implantolojide dental volumetrik tomografi**  
GÜLTEKİN B. A., Shiraliyev S., BAYRAKTAR M., GÜLTEKİN P., YALÇIN S.  
Oral İmplantoloji Dergisi, vol.10, no.1, pp.27-32, 2009 (Peer-Reviewed Journal)
- XX. **Anterior Maksillada implant uygulamalarında dikkat edilecek estetik kriterler ve risk faktörleri**  
Şiraliyev A., GÜLTEKİN B. A., Arıcı V., Gür H., YALÇIN S.  
Oral İmplantoloji Dergisi, vol.9, pp.19-26, 2008 (Peer-Reviewed Journal)
- XXI. **İmplant destekli bar ataşmanlı protezlerin klinik değerlendirilmesi**  
Bayraktar M., Özgen M., Akıllı E., GÜLTEKİN B. A., Şiraliyev A., YALÇIN S.  
Oral İmplantoloji Dergisi, vol.9, pp.36-40, 2008 (Peer-Reviewed Journal)
- XXII. **Peri-implantitis tedavisinde lazer uygulamalarının etkinliği:Derleme**  
Arıcı V., Abdel-Hak J., GÜLTEKİN B. A., KARABUDA Z. C.  
Oral İmplantoloji Dergisi, vol.9, pp.14-19, 2008 (Peer-Reviewed Journal)
- XXIII. **Ön bölge mezio-distal mesafenin yetersiz olduğu vakada tek diş implant uygulaması ve erken yükleme: Vaka sunumu**  
Abdel-Hak J., Akıllı E., KARABUDA Z. C., GÜLTEKİN B. A., Gashi B.  
Oral implantoloji dergisi, vol.9, pp.34-39, 2008 (Peer-Reviewed Journal)
- XXIV. **Bar ataşmanlı ve küresel bağlantılı implant üstü hareketli protezlerin klinik uygulamaları: Derleme**  
GÜLTEKİN B. A., Şiraliyev A., Bayraktar M., Özgen M., Akıllı E., YALÇIN S.  
Oral İmplantoloji Dergisi, vol.9, pp.24-30, 2008 (Peer-Reviewed Journal)
- XXV. **Maksillanın anterior tek diş eksikliğinde implant uygulamaları ve immediyat restorasyon: Vaka sunumu.**  
ERSANLI S., YALÇIN S., GÜLTEKİN B. A., BÖLÜKBAŞI N., KARABUDA Z. C.  
Oral İmplantoloji Dergisi, vol.7, no.1, pp.336-41, 2006 (Peer-Reviewed Journal)
- XXVI. **Profektik antibiyotik kullanımının dental implant cerrahisindeki yeri.**  
BÖLÜKBAŞI N., ERSANLI S., ÖZDEMİR T., GÜLTEKİN B. A.  
Oral İmplantoloji Dergisi, vol.7, no.1, pp.33-35, 2006 (Peer-Reviewed Journal)
- XXVII. **İmplant yüzey özellikleri ve osseointegrasyona olan etkileri**  
KARABUDA Z. C., GÜLTEKİN B. A., YALÇIN S., Özdemir T.  
Dişhekimliğinde klinik, vol.18, pp.122-128, 2004 (Peer-Reviewed Journal)

## Books & Book Chapters

### I. Dental implants

Çinar İ. Ç., Gültekin B. A., Sağlanmak A., Töre C.

in: Biomaterials, Petricia Vizureanu, Editor, Intech Open, London, pp.1-14, 2020

### II. Platelet rich fibrin applications in oral implantology

Sağlanmak A., Çinar İ. Ç., Gültekin B. A.

in: Platelets, Steve W. Kerrigan, Niamh Moran, Editor, Intech open, London, pp.1-14, 2020

- III. **Treatment of Oral Fistulas**  
Cansız E., Gültekin B. A., Koltuk M., Çakarer S.  
in: A Textbook of Advanced Oral and Maxillofacial Surgery Volume 3, Mohammad Hosein Motamedi, Editor, Intech, London, pp.400, 2016
- IV. **Ridge augmentation techniques in pre-prosthetic implant surgery**  
GÜLTEKİN B. A., Cansız E., Yalçın S.  
in: A Textbook of Advanced Oral and Maxillofacial Surgery Volume 3, Gültekin B.A., Cansız E., Yalçın S., Editor, Intech, Croatia, pp.953-978, 2016
- V. **Application of Finite Element Analysis in Implant Dentistry**  
GÜLTEKİN B. A., GÜLTEKİN P., YALÇIN S.  
in: Finite Element Analysis – New Trends and Developments, Farzad Ebrahimi, Editor, Intech Publications, Rijeka, pp.21-54, 2012
- VI. **Application of Finite Element Analysis in Implant Dentistry**  
GÜLTEKİN B. A., GÜLTEKİN P., YALÇIN S.  
in: Finite Element Analysis – New Trends and Developments, Farzad Ebrahimi, Editor, Intech Publications, Rijeka, pp.21-54, 2012
- VII. **Application of Finite Element Analysis in Implant Dentistry**  
GÜLTEKİN B. A., GÜLTEKİN P., YALÇIN S.  
in: Finite Element Analysis New Trends and Developments, Farzad Ebrahimi, Editor, Intech, Rijeka, pp.21-54, 2012
- VIII. **Application of Finite Element Analysis in Implant Dentistry**  
Gültekin B. A., Türkoğlu P., Yalçın S.  
in: Finite Element Analysis New Trends and Developments, Farzad Ebrahimi, Editor, Intech, Rijeka, pp.21-54, 2012

### **Refereed Congress / Symposium Publications in Proceedings**

- I. **Tek Taraflı Komplet Dudak Damak Yarıklı Bir Vakanın Multidisipliner Tedavisi: Olgu Sunumu**  
Altundal G., Uzunçibuk H., Marşan G., Gültekin B. A.  
8.Uluslararası Dudak Damak Yarıkları Derneği Kongresi, Antalya, Turkey, 19 - 20 November 2022, pp.5
- II. **Effects of collagen membranes with different properties in peri-implant dehiscence defects**  
Doğan A., Coşkun Z., Töre C., Gültekin B. A., Çınar İ. Ç., Sağlanmak A., Yalçın S.  
EAO Digital Days, 5 - 09 October 2020, pp.132
- III. **The effects of schneiderian membrane perforation on the clinical outcome of sinus lift procedures.**  
Töre C., Coşkun Z., Gültekin B. A., Çınar İ. Ç., Sağlanmak A., Yalçın S.  
EAO Digital Days, 5 - 09 October 2020, pp.265
- IV. **The effect of soft tissue thickness on crestal bone loss of early loaded implants.**  
Sağlanmak A., Gültekin B. A., Çınar İ. Ç., Karabuda C., Moncler S. S.  
EAO Digital Days, 5 - 09 October 2020, pp.180
- V. **Rehabilitation of Complete Edentulism with All-on-For Treatment Protocols**  
GÜLTEKİN B. A., ÇINAR Ç., ERSANLI S.  
28TH ANNUAL MEETING EAO CONGRESS, 26 - 28 September 2019, vol.30, pp.478
- VI. **Guided bone regeneration after impacted maxillary canine removal: A case report**  
ERSANLI S., Ayşeşek N., AYŞEŞEK B. H., BALCIOĞLU N., GÜLTEKİN B. A.  
28th Annual Scientific Meeting EAO Congress, Portugal, 26 - 28 September 2019, vol.30, pp.498
- VII. **Alt Çene Total Dişsizlik Görülen Hastanın Hibrit Protezle Rehabilitasyonu**  
arican e., göçmez p., GÜLTEKİN B. A., BALIK A.  
. 6.Uluslararası Türk Prostodonti ve İmplantoloji Derneği Dicle Sempozyumu, Diyarbakır, Turkey, 2 - 04 November 2018, pp.222
- VIII. **Reconstruction of Symmetrical bone defects in anterior maxilla with Onlay Graft and Emdogain: A case report**  
ERSANLI S., AYŞEŞEK B. H., GÜLTEKİN B. A., BAŞER Ü.

Europerio9, Amsterdam, Netherlands, 20 - 23 June 2018

- IX. Immediate Implant Placement in Maxillary Aesthetic Zone with Socket Shield Technique: A Case Report**  
GÜLTEKİN B. A., AYŞEŞEK B. H., ERSANLI S.  
Europerio9, Amsterdam, Netherlands, 20 - 23 June 2018
- X. ANTERİOR MAKSİLLADA KORTİKAL ALLOGREFT LAMİNA İLE YÖNLENDİRİLMİŞ DOKU REJENERASYONU UYGULAMASI: PROSPEKTİF BİR ÇALIŞMANIN ÖN SONUÇLARI**  
SAĞLANMAK A., GÜLTEKİN B. A.  
TÜRK ORAL İMPLANTOLOJİ DERNEĞİ XV. ULUSLARARASI BİLİMSEL SEMPOZYUMU, Antalya, Turkey, 6 - 09 June 2018, pp.30-31
- XI. Vertical Augmentation-Soft Tissue Augmentation İn Anterior Mandible**  
Sağlanmak A., Karabuda C., Güner M. Ö., Gültekin B. A., Başığmez C.  
Camlog Oral Reconstruction Foundation Annual Congress, Rotterdam, Netherlands, 26 - 28 April 2018
- XII. ANTERİOR MAKSİLLADA KORTİKAL ALLOGREFT LAMİNA İLE YÖNLENDİRİLMİŞ DOKU REJENERASYONU UYGULAMASI PİLOT ÇALIŞMA**  
SAĞLANMAK A., GÜLTEKİN B. A.  
TÜRK ORAL İMPLANTOLOJİ DERNEĞİ XXIX. ULUSLARARASI BİLİMSEL KONGRESİ, İstanbul, Turkey, 12 - 13 January 2018, pp.56
- XIII. Botulinum toxin type a usage for preoperative treatment for dental implants placed in maxillary arches for full-arch restoration of patients with bruxism**  
Yılmaz c., Doğan a., Kızılaslan s., GÜLTEKİN B. A., ERSANLI S.  
European Association for Osseointegration Congress, Madrid, Spain, 5 - 07 October 2017
- XIV. TDB akademi oral implantoloji programı 1. modülü**  
ONUR Ö., ERSANLI S., eskitaşçıoğlu g., YALÇIN S., GÜLTEKİN B. A.  
TDB akademi oral implantoloji programı, Turkey, 29 - 30 September 2017
- XV. ORAL İMPANTOLOJİ YETKİNLİK GELİŞTİRME PROGRAMI**  
ERSANLI S., KARABUDA Z. C., YALÇIN S., GÜLTEKİN B. A., ARISAN V., BAŞEĞMEZ A. C.  
TDB AKADEMİ ORAL İMPANTOLOJİ YETKİNLİK GELİŞTİRME PROGRAMI, İstanbul, Turkey, 29 September 2017
- XVI. HYALURONİK ASİT İLE PAPİL REJENERASYONU**  
GÜLTEKİN B. A., ERSANLI S.  
TÜRK ORAL İMPLANTOLOJİ DERNEĞİ AZERBAIJAN ORAL İMPLANTOLOJİ DERNEĞİ 13.ULUSLARARASI BİLİMSEL SEMPOZYUMU, 29 May - 04 June 2016
- XVII. İmplant Yerleşimi Öncesi Rezorbsiyonun Değerlendirilmesi: Yönlendirilmiş Kemik Rejenerasyonu ve Blok Kemik Greft Uygulaması Krşlaştırılması**  
GÜLTEKİN B. A., CANSIZ E., İŞLER S. C., YALÇIN S.  
TAOMS 2016, Muğla, Turkey, 26 - 30 May 2016, pp.45
- XVIII. Evaluation of resorption before implant placement: A comparison of guided bone regeneration and iliac block bone grafting**  
GÜLTEKİN B. A., Cansız E., İŞLER S. C., YALÇIN S.  
TAOMS 2016, İstanbul, Turkey, 26 - 30 May 2016, pp.45-46
- XIX. Sinus floor augmentation after endoscopic sinus surgery (ESS) for the treatment of chronic maxillary sinusitis:A case series**  
GÜLTEKİN B. A., Yılmaz C., ERSANLI S., YALÇIN S., Karaaslan O.  
International symposium osteology, Monako, France, 21 - 23 May 2016, pp.227
- XX. Oral implantolojide kemik rejenerasyon teknikleri ve klinik uygulamaları**  
GÜLTEKİN B. A.  
Türk dişhekimleri birliđi 22. uluslararası kongresi, İzmir, Turkey, 19 - 21 May 2016, pp.158
- XXI. Clinical and CBCT evaluation of changes in the maxillary sinus membrane following the use of orthodontic skeletal anchorage devices.**  
ÖZTAŞ S. E., ERSANLI S., GÜLTEKİN B. A.  
92nd Congress of the European Orthodontic Society, Stockholm, Sweden, 11 - 16 May 2016, pp.1

- XXII. **SINUS FLOOR AUGMENTATION AFTER ENDOSCOPIC SINUS SURGERY FOR THE TREATMENT OF CHRONIC MAXILLARY SINUSITIS A CASE SERIES**  
GÜLTEKİN B. A., ERSANLI S., YALÇIN S.  
INTERNATIONAL SYMPOSIUM OSTEOLOGY MONACO, MONACO, France, 21 - 23 April 2016
- XXIII. **Clinical and radiographic evaluation of alveolar ridge augmentation using guided bone regeneration techniques**  
Gültekin B. A., Türkoğlu P., Yalçın S.  
20th AEEEDC International Dental Conference, Dubai, United Arab Emirates, 2 - 04 February 2016, pp.184
- XXIV. **Vertical-horizontal bone augmentation and the soft tissue management in the anterior aesthetic zone. A case report**  
Gültekin B. A., Tuncer C. D., ÇİNAR İ. Ç., Yalçın S.  
Turkish society of oral şmplantology 27th international scientific congress, İstanbul, Turkey, 15 - 16 January 2016, pp.67
- XXV. **Vertical-horizontal bone augmentation and the soft tissue management in the anterior aesthetic zone: A case report**  
GÜLTEKİN B. A., Tuncer C. D., Çınar Ç., YALÇIN S.  
Turkish society of oral implantology 27th International scientific congress, İstanbul, Turkey, 15 - 16 January 2016, pp.67
- XXVI. **Regeneration of oseeous defects using biomaterials: Success and complications**  
GÜLTEKİN B. A., YALÇIN S.  
Turkish society of oral implantology 27th International scientific congress, İstanbul, Turkey, 15 - 16 January 2016, pp.16
- XXVII. **Evaluation of Volumetric Changes after Maxillary Sinus Floor Augmentation with Different Grafting Materials**  
GÜLTEKİN B. A., Borahan O., YALÇIN S.  
American Academy of Implant Dentistry Annual Congress, Las Vegas, United States Of America, 21 - 24 October 2015, pp.63
- XXVIII. **Clinical approaches to treat peri-implant mucositis and peri-implantitis: A review**  
Çınar İ. Ç., Çakır Ş., GÜLTEKİN B. A., YALÇIN S.  
Turkish Society of Oral Implantology International Symposium, Antalya, Turkey, 8 - 12 June 2015, pp.23
- XXIX. **Ekspoze olan titanyum destekli D-PTFE membran ile üst çenede horizontal kret ogmentasyonu: Vaka sunumu**  
Çakır Ş., Çınar İ. Ç., Selçuk N., GÜLTEKİN B. A., YALÇIN S.  
Turkish Society of Oral Implantology International Symposium, Antalya, Turkey, 8 - 12 June 2015, pp.25
- XXX. **Alveoler ridge reconstructions; Augmentation or osteotomy: Case series**  
ÇİNAR İ. Ç., Gültekin B. A., Çakır Ş., Selçuk N., Şiraliyev A., Yalçın S.  
Turkish society of oral implantology 26th international scientific congress, İstanbul, Turkey, 16 - 17 January 2015, pp.54
- XXXI. **Comparison of platelet rich fibrin membrane and collagen membrane use effect on bone regeneration**  
Şiraliyev A., Nazaroğlu K., Özturan S., GÜLTEKİN B. A.  
Turkish Society of Oral Implantology XXVI th International Congress, İstanbul, Turkey, 16 - 17 January 2015, pp.52
- XXXII. **Peri-implanter defektlerin yönlendirilmiş kemik rejenerasyonu uygulamasıyla rekonstrüksiyonu: Vaka serisi**  
Gültekin B. A., ÇİNAR İ. Ç., Yalçın S., Karabuda Z. C.  
İstanbul Üniversitesi Dış hekimliği Fakültesi 7. Bilimsel kongresi, İstanbul, Turkey, 19 - 22 November 2014, pp.29
- XXXIII. **Rezorbe olmayan membran ile horizontal ve vertikal ogmentasyon: Vaka serileri**  
Selçuk N., GÜLTEKİN B. A., Çakır Ş., YALÇIN S., KARABUDA Z. C.  
İstanbul Üniversitesi Dış Hekimliği Fakültesi 7. Bilimsel Kongresi, İstanbul, Turkey, 19 - 22 November 2014, pp.31
- XXXIV. **Histologic and histomorphometric comparison of bone regeneration between bone morphogenetic protein-2 and platelet derived growth factor-BB in guinea pigs**

GÜLTEKİN B. A., Güven G.

American Academy of Implant Dentistry 63rd Annual Conference, Orlando, United States Of America, 5 - 08 November 2014, pp.56

- XXXV. **Horizontal and vertical bone augmentation with titanium reinforced D-PTFE membranes: Case series in 8 patients**  
Çakır Ş., Gültekin B. A., Çınar İ. Ç., Güven G., Sağlanmak A., Yalçın S.  
European Association for Osseointegration 23rd Annual Scientific Meeting, Rome, Italy, 25 - 27 September 2014, pp.95
- XXXVI. **Horizontal and Vertical Bone Augmentation with Titanium Reinforced d-PTFE Membranes: Case Series İN 8 Paetients**  
Çakır Ş., Çınar Ç., Güven G., GÜLTEKİN B. A., SAĞLANMAK A., KARABUDA Z. C., YALÇIN S.  
EAO 23. ANNUAL SCİENTİFİC MEETİNG, Roma, Italy, 25 - 27 September 2014, pp.1
- XXXVII. **Bone augmentation with allograft blocks: Case series**  
GÜLTEKİN B. A., YALÇIN S.  
Turkish Society of Oral Implantology XIth International Symposium, Antalya, Turkey, 9 - 14 June 2014, pp.19
- XXXVIII. **Horizontal ridge augmentation at mandible with titanium reinforced d-ptfe membrane: a case report**  
Çakır Ş., ÇİNAR İ. Ç., Gültekin B. A., Yalçın S.  
Turkish society of oral implantology international symposium, Antalya, Turkey, 9 - 14 June 2014, pp.23
- XXXIX. **Zirkonyum implants in oral implantology:Case Report**  
ERSANLI S., GÜLTEKİN B. A., YALÇIN S., KARABUDA Z. C.  
Turkish Society of Oral Implantology ,German Association of Dental Implantology 11th. Scientific Joint Symposium, Antalya, Turkey, 9 - 14 June 2014, pp.10-11
- XL. **Sinus lifting with simultaneous implant placement**  
Selçuk N., GÜLTEKİN B. A., YALÇIN S.  
Turkish Society of Oral Implantology XIth International Symposium, İstanbul, Turkey, 9 - 14 June 2014, pp.34
- XLI. **Histomorphometric and radiographic analysis of two different composite graft materials used in maxillary sinüs augmentation**  
Ahmet Ş., Sağlanmak A., GÜLTEKİN B. A., KARABUDA Z. C.  
Turkish Society of Oral Implantology XIth International Symposium, Antalya, Turkey, 9 - 14 June 2014, pp.21
- XLII. **Guided bone regeneration with titanium reinforced d-PTFE membranes**  
Gültekin B. A., Göker F., Çakır Ş., ÇİNAR İ. Ç., Selçuk N., Yalçın S.  
Turkish society of oral şmplantology 25th international scientific congress, İstanbul, Turkey, 17 - 18 January 2014, pp.57
- XLIII. **Implant placement with simultaneous guided bone regeneration with porous titanium granules in esthetic zone**  
Gültekin B. A., Türkoğlu P., Yalçın S.  
Turkish Society of Oral Implantology, Austrian Society of Oral Implantology, Azerbaijan Society of Oral Implantologists, German Association of Dental Implantology Xth International Scientific Joint Symposium, Antalya, Turkey, 1 - 04 June 2013, pp.17
- XLIV. **The clinical and biomechanical significance of peri-implant keratinised mucosa dimensions on peri-implant health**  
BAŞEĞMEZ A. C., GÜLTEKİN B. A., YALÇIN S.  
Türk Oral İmplantoloji Derneği Sempozyumu, Turkey, 1 - 04 June 2013, pp.22
- XLV. **Clinical evaluation of stability in two types of submerged dental implants**  
YALÇIN S., GÜLTEKİN B. A.  
ICOI, United States Of America, 1 - 04 May 2013, pp.11
- XLVI. **Evaluation of new bone formation using rhPDGF and bone graft materials:Histological and histomorphometrical study**  
GÜLTEKİN B. A., Şiraliyev A., YALÇIN S., Olgaç V.  
International Symposium Osteology, France, 1 - 04 May 2013, pp.69-70
- XLVII. **Soft tissue management in anterior single tooth implant support restorations**



ERSANLI S., GÜLTEKİN B. A., BEDELOGLU E., YALÇIN S.

icoi dünya kongresi, Newyork, United States Of America, 20 - 22 September 2012, pp.1

- XLVIII. **Effect of fiber mesh and acrylic resin thickness on fracture load of implant supported overdentures**  
Türkoğlu P., Çakan U., Gültekin B. A.  
EPA, Rotterdam, Netherlands, 6 - 08 September 2012, pp.90-91
- XLIX. **Re-establishing esthetics and function using existing implants: A clinical report**  
Çakan U., Türkoğlu P., Gültekin B. A.  
36th Annual Congress of European Prosthodontic Association, Rotterdam, Netherlands, 1 - 04 September 2012, pp.93
- L. **Finite element analysis of the influence of different crown-implant ratios and implant dimensions on the peri-implant stress in the partially edentulous mandible**  
YALÇIN S., Bayraktar M., GÜLTEKİN B. A.  
ICOI, United States Of America, 1 - 04 September 2012, pp.12
- LI. **Clinical evaluation of two different socket preservation methods**  
Gültekin B. A., Türkoğlu P., Yalçın S.  
ICOI, Florida, United States Of America, 1 - 04 September 2012, pp.11
- LII. **Influence of inter-implant distance and fiber mesh on fracture load in a simulated implant supported overdenture**  
Türkoğlu P., Gültekin B. A., Yalçın S.  
ICOI, Florida, United States Of America, 1 - 04 September 2012, pp.12
- LIII. **Fiber Reinforced Implant Supported Overdentures in Oral Implantology**  
Türkoğlu P., Gültekin B. A., Yalçın S.  
IXth International Scientific Joint Symposium of Turkish Society of Oral Implantology, Austrian Society of Implantology, Azerbaijan Society of Oral Implantologists and German Association of Dental Implantology, Antalya, Turkey, 1 - 04 May 2012, pp.32
- LIV. **Sinus lifting applications with a novel composite bone graft**  
Ahmet Ş., GÜLTEKİN B. A., KARABUDA Z. C.  
TOİD, Antalya, Turkey, pp.27
- LV. **Alveolar bone preservation for maintenance of function and esthetics in anterior maxilla: A case report**  
GÜLTEKİN B. A., GÜLTEKİN P., YALÇIN S.  
TOİD, Antalya, Turkey, pp.21
- LVI. **Evaluation of retromolar canals with cone beam tomography**  
Borahan M. O., Sinanoğlu A., GÜLTEKİN B. A.  
Bass 2012, Albania, 1 - 04 May 2012, pp.157
- LVII. **The use of demineralized block allografts for ridge augmentation and increasing the keratinized soft tissue around the implants: A case report**  
Aslan E., BAŞEĞMEZ A. C., KARABUDA Z. C., GÜLTEKİN B. A.  
TOİD, Antalya, Turkey, pp.16
- LVIII. **Fiber reinforced implant supported overdentures in oral implantology**  
Türkoğlu P., Gültekin B. A., Yalçın S.  
TOİD, Antalya, Turkey, 1 - 04 May 2012, pp.32
- LIX. **Farklı simanların implant destekli kuron protezlerinin tutuculuğuna etkisinin değerlendirilmesi**  
Türkoğlu P., Gültekin B. A., Yalçın S.  
Türk Oral İmplantoloji Derneği Uluslararası 24. Kongresi, İstanbul, Turkey, 10 - 12 January 2013, pp.35
- LX. **Farklı implant boyutlarıyla elde edilen kuron-implant oranlarının peri-implanter kemiğe olan etkisinin sonlu elemanlar analizi (Fem) ile incelenmesi**  
Bayraktar M., GÜLTEKİN B. A., YALÇIN S.  
Türk Oral İmplantoloji Derneği Uluslararası Bilimsel Kongresi, Turkey, 1 - 04 January 2012, pp.34
- LXI. **Clinical application of implant supported ceramic abutment in the esthetic region**  
Gültekin B. A., Türkoğlu P., Yalçın S.

AEEDC, Dubai, United Arab Emirates, 1 - 04 January 2012, pp.180

- LXII. **Clinical evaluation of composite graft material in sinus lifting applications: a pilot study**  
KARABUDA Z. C., GÜLTEKİN B. A.  
XX. EAO annual scientific meeting, Greece, 1 - 04 October 2011, pp.1-2
- LXIII. **Single tooth implant restorations with CEREC 3D 'Replication Mode' after socket preservation: A case report**  
Türkoğlu P., Gültekin B. A., Yalçın S.  
20th Annual Scientific Meeting of the European Association of Osseointegration, Athens, Greece, 1 - 04 October 2011, pp.32
- LXIV. **Clinical evaluation of socket augmentation with nonresorbable membranes: a pilot study**  
GÜLTEKİN B. A., Şiraliyev A., YALÇIN S., Gür H.  
20 th Meeting European Association for Osseointegration, Greece, 1 - 04 October 2011, pp.1021
- LXV. **Single tooth implant restorations with CEREC 3D 'Replication Mode' after socket preservation: A case Report**  
Türkoğlu P., Gültekin B. A., Yalçın S.  
20 th Meeting of the European Association for Osseointegration, Athens, Greece, 1 - 04 October 2011, pp.1007
- LXVI. **Influence of die-spacer thickness on cementation of CAD/CAM fabricated implant-supported crowns**  
Türkoğlu P., Gültekin B. A., Aydın M. M.  
35 th European prosthodontic association, Bern, Switzerland, 1 - 04 September 2011, pp.31
- LXVII. **Influence of Die-spacer Thickness On Cementation of CAD/CAM Fabricated**  
Türkoğlu P., Gültekin B. A., Aydın M. M.  
35th Annual Congress of European Prosthodontic Association, Bern, Switzerland, 1 - 04 September 2011, pp.31
- LXVIII. **Çekim soketlerinin korunmasında allograft ve membran kullanımının klinik değerlendirilmesi**  
YALÇIN S., GÜLTEKİN B. A.  
Türk Oral İmplantoloji Derneği Uluslararası Bilimsel Kongresi, Antalya, Turkey, 1 - 04 June 2011, pp.2
- LXIX. **Use of zirconium abutments in oral implantology**  
Şiraliyev A., GÜLTEKİN B. A., YALÇIN S.  
International Caspian Conference of Implantologists, Azerbaijan, 1 - 04 May 2011, pp.59
- LXX. **Çekim Soketinin korunmasında rezorbe olmayan membran kullanımının klinik değerlendirilmesi**  
YALÇIN S., GÜLTEKİN B. A.  
Türk Periodontoloji Kongresi 41. Bilimsel Kongresi, İstanbul, Turkey, 1 - 04 May 2011, pp.1
- LXXI. **Clinical evaluation of a novel bone graft material as a composite in sinus lifting applications: A pilot study**  
GÜLTEKİN B. A., Ahmet Ş., KARABUDA Z. C.  
International symposium osteology, France, pp.48
- LXXII. **Çeki soketlerinde mineralize allograft kullanımının klinik değerlendirilmesi**  
YALÇIN S., GÜLTEKİN B. A.  
Türk Oral İmplantoloji Derneği 22. Uluslararası Bilimsel Kongresi, İstanbul, Turkey, 1 - 04 January 2011, pp.1
- LXXIII. **Clinical effect of platform switching on peri-implantitis tissues**  
YALÇIN S., GÜLTEKİN B. A.  
27th ICOI World Congress, Germany, 1 - 04 August 2010, pp.1
- LXXIV. **Dental volumetric tomography in oral implantology**  
Özuygur B., GÜLTEKİN B. A., Şiraliyev A., YALÇIN S.  
Türk oral implantoloji derneği 7. sempozyumu, Turkey, 1 - 04 May 2010, pp.39
- LXXV. **The effect of implant designs on hard and soft tissue preservation**  
GÜLTEKİN B. A., Şiraliyev A., YALÇIN S.  
Türk Oral İmplantoloji Derneği 7. sempozyumu, Turkey, 1 - 04 May 2010, pp.21
- LXXVI. **Clinical application of zirconium abutments in oral implantology**  
Şiraliyev A., Gültekin B. A., Türkoğlu P., Yalçın S.  
Türk oral implantoloji derneği 7. sempozyumu, Antalya, Turkey, 1 - 04 May 2010, pp.35
- LXXVII. **Clinical success of implant supported zirconium abutments in the aesthetic region**

- Atalay S., GÜLTEKİN B. A., Şiraliyev A., Özgen M., Abdel-Hak J., YALÇIN S.  
18th meeting European association for osseointegration, France, 1 - 04 September 2009, pp.19
- LXXVIII. **Evaluation of implant-supported bar designs with two and four implants (clinical study)**  
Bayraktar M., Özgen M., Şiraliyev A., GÜLTEKİN B. A., YALÇIN S.  
18 th meeting European association for osseointegration, France, 1 - 04 September 2009, pp.26
- LXXIX. **Crestal bone loss around astra tech implants: 3 years clinical study**  
Türkoğlu P., Atalay A. S., Gültekin B. A.  
18th Annual Scientific Meeting of European Association for Osseointegration, Monte Carlo, Monaco, 1 - 04 September 2009, pp.29
- LXXX. **Clinical evaluation of implant-tooth supported fixed partial prosthesis**  
Özgen M., GÜLTEKİN B. A., Bayraktar M., Şiraliyev A., YALÇIN S.  
18 th meeting European association for osseointegration, France, 1 - 04 September 2009, pp.25
- LXXXI. **Clinical and radiographical evaluation of a platform switched dental implants**  
GÜLTEKİN B. A., Bayraktar M., Özgen M., YALÇIN S.  
18 th meeting European association for osseointegration, France, 1 - 04 September 2009, pp.30
- LXXXII. **Crestal bone loss around Astra Tech implants: 3 years clinical study**  
GÜLTEKİN P., Atalay S., GÜLTEKİN B. A.  
18 th meeting European association for osseointegration, France, 1 - 04 September 2009, pp.29
- LXXXIII. **Clinical Applications of Implant supported overdentures with Ball and Bar attachments**  
ERSANLI S., GÜLTEKİN B. A., KARABUDA Z. C.  
18th International Scientific Congress and Joint Meeting of the Turkish Society of Oral Implantology, Austrian Society of Oral Implantology, Antalya, Turkey, 3 - 09 June 2009, pp.17-19
- LXXXIV. **Clinical evaluation of implant supported zirconium abutments with all ceramic zirconium based crowns in aesthetic region**  
Gültekin B. A., Türkoğlu P., Yalçın S.  
32nd Annual Congress of European Prosthodontic Association, Pecs, Hungary, 1 - 04 September 2008, pp.49
- LXXXV. **Restoring endodontically treated teeth with a CAD/CAM system**  
Karataşlı B., Türkoğlu P., Sevük Ç., Aydın M. M., Gültekin B. A.  
32nd Annual Congress of European Prosthodontic Association, Pecs, Hungary, 1 - 04 September 2008, pp.159
- LXXXVI. **Clinical evaluation of implant supported ball attachment overdentures: three years study**  
Gültekin B. A., Türkoğlu P., Yalçın S.  
32nd Annual Congress of European Prosthodontic Association, Pecs, Hungary, 1 - 04 September 2008, pp.144
- LXXXVII. **Clinical evaluation of implant supported ball attachment overdentures: Three years study**  
Gültekin B. A., Türkoğlu P., Yalçın S.  
32nd annual congress of european prosthodontic association, Pecs, Hungary, 1 - 04 September 2008, pp.144
- LXXXVIII. **Soft tissue and bone evaluation around custom made abutments**  
Gültekin B. A., Bayraktar M., Akıllı E., Abdel-Hak J., Türkoğlu P., Shiraliyev S., Yalçın S.  
EAO 17th Annual Scientific Meeting, Warszawa, Poland, 1 - 04 September 2008, pp.17
- LXXXIX. **İmplant destekli zirkonyum post ve vidalı lamina kuron restorasyonu: Vaka raporu**  
GÜLTEKİN B. A., YALÇIN S., Özdemir T.  
Türk oral implantoloji derneği 19. uluslararası bilimsel kongresi, Turkey, 1 - 04 June 2008, pp.56
- XC. **The effect of diabetes mellitus on osseointegration**  
Şiraliyev A., GÜLTEKİN B. A., KARABUDA Z. C., YALÇIN S.  
Türk oral implantoloji derneği 19. uluslararası bilimsel kongresi, Turkey, 1 - 04 June 2008, pp.20
- XCI. **Clinical evaluation of crown-implant ratio**  
Bayraktar M., GÜLTEKİN B. A., Özgen M., Şiraliyev A., YALÇIN S.  
Türk oral implantoloji derneği 19. uluslararası bilimsel kongresi, Turkey, 1 - 04 June 2008, pp.36
- XCII. **Clinical effect of platform switched dental implant design on peri-implant tissues**  
GÜLTEKİN B. A., YALÇIN S., Yıldırım E.  
Türk oral implantoloji derneği 19. uluslararası bilimsel kongresi, Turkey, 1 - 04 June 2008, pp.34
- XCIII. **Clinical applications of implant supported zirconium abutments and full ceramic restorations in the**

### **aesthetic zone : pilot study**

Gültekin B. A., Türkoğlu P., Bayraktar M., Yalçın S.

Congress of Turkish Society of Oral Medicine in conjunction with Turkish Prosthodontics and Implantology Association, Antalya, Turkey, 1 - 04 May 2008, pp.36

### **XCIV. Clinical evaluation of platform switched dental implant design: 1 year study**

Gültekin B. A., Türkoğlu P., Mutlu D., Yalçın S., Aydın M. M.

Congress of Turkish Society of Oral Medicine in conjunction with Turkish Prosthodontics and Implantology Association, Antalya, Turkey, 1 - 04 May 2008, pp.37

### **XCIV. Clinical applications of implant supported zirconium abutments and full ceramic restorations in the aesthetic zone:Pilot study**

GÜLTEKİN B. A., GÜLTEKİN P., Bayraktar M., YALÇIN S.

Türk prostodonti ve implantoloji derneği kongresi, Antalya, Turkey, 1 - 04 May 2008, pp.36

### **XCVI. Clinical evaluation of implant supported full ceramic zirconium based screw retained prosthesis**

GÜLTEKİN B. A., YALÇIN S.

ICOI winter symposium, United States Of America, 1 - 04 February 2008, pp.20

### **XCVII. Clinical success of natural tooth-implant supported prosthesis: A 5 year clinical study**

GÜLTEKİN B. A., Bayraktar M., YALÇIN S., KARABUDA Z. C.

12 th congress of the BASS, Turkey, 1 - 04 April 2007, pp.113

### **XCVIII. resonance frequency analysis of five implant stability during osseointegration period**

ERSANLI S., GÜLTEKİN B. A., Abdel-Hak J., KARABUDA Z. C.

15. annual meeting european association for osseointegration, Zurich, Switzerland, 5 - 07 October 2006, pp.1

### **XCIX. İmmediate loading with implant supported fixed prosthesis in maxilla**

Ersanlı S., Balcıoğlu N., Gültekin B. A., Hak J. A., Yalçın S., Özdemir T.

15th European Association for Osseointegration, Zürich, Switzerland, 05 October 2006, pp.121

#### **C. The comparison of various implant designs in early implant failures.**

Yalçın S., Balcıoğlu N., Gültekin B. A., Başeğmez Zeren C., Bayraktar M.

15th European Association for Osseointegration, Zürich, Switzerland, 05 October 2006, pp.16

#### **CI. Clinical performance of short implants: 1 year study**

GÜLTEKİN B. A., Özgen M., YALÇIN S., KARABUDA Z. C., Abdel-Hak J., Şiraliyev A.

15th Annual meeting european association for osseointegration, Switzerland, 1 - 04 October 2006, pp.133

#### **CII. Clinical evaluation of implant supported full ceramic screw retained prosthesis**

GÜLTEKİN B. A., Abdel-Hak J., Bayraktar M., YALÇIN S., Özdemir T.

15 th annual scientific meeting european for osseointegration, Switzerland, 1 - 04 October 2006, pp.133

#### **CIII. "Autogenous Particulate Dentin Graft Material Use at Inadequate Alveolar Bone"**

GÜLTEKİN B. A.

International Osteology Symposium Barcelona 2019, Barcelona, Spain, 25 - 27 April 0019, vol.1, pp.1

## **Supported Projects**

ERSANLI S., GÜZEL MEYDANLI E. E., GÜLTEKİN B. A., Project Supported by Higher Education Institutions, REKOMBİNANT KEMİK MORFOGENETİK PROTEİNİ-2 VE REKOMBİNANT TROMBOSİT KAYNAKLI BÜYÜME FAKTÖRÜNÜN KEMİK REJENERASYONUNA ETKİSİNİN HİSTOLOJİK VE HİSTOMORFOMETRİK ANALİZİ, 2013 - 2017

ÖZTAŞ S. E., GÜLTEKİN B. A., Project Supported by Higher Education Institutions, CLINICAL AND CBCT EVALUATION OF CHANGES IN THE MAXILLARY SINUS MEMBRANE FOLLOWING THE USE OF ORTHODONTIC SKELETAL ANCHORAGE DEVICES, 2016 - 2016

## **Metrics**

Publication: 151

Citation (WoS): 80

Citation (Scopus): 93

H-Index (WoS): 5

H-Index (Scopus): 6

### **Congress and Symposium Activities**

XVI. International Scientific Symposium of the Turkish Society of Oral Implantology Azerbaijan Society of Oral Implantology, Attendee, Antalya, Turkey, 2019

Turkish Society of Oral implantology International 12th Scientific Symposium, Attendee, Antalya, Turkey, 2015