

## Res. Asst. İhsan Çağlar ÇİNAR


### Personal Information

Office Phone: [+90 212 414 2020](tel:+902124142020) Extension: 30318

Fax Phone: [+90 212 532 3254](tel:+902125323254)

Email: [cinarcaglar@istanbul.edu.tr](mailto:cinarcaglar@istanbul.edu.tr)

Web: <https://avesis.istanbul.edu.tr/cinarcaglar>



### Academic Titles / Tasks

Research Assistant PhD, Istanbul University, Faculty of Dentistry, Division of Clinical Sciences, 2018 - Continues

### Articles Published in Journals That Entered SCI, SSCI and AHCI Indexes

- I. **3D Considerations and Outcomes of Immediate Single Implant Insertion and Provisionalization at the Maxillary Esthetic Zone : A Long Term Retrospective Follow-Up Study of Up to 18 Years**  
Mijiritsky E., Barone A., Çinar İ. Ç. , Nagy K., Shacham M.  
JOURNAL OF CLINICAL MEDICINE, vol.10, pp.1-11, 2021 (Journal Indexed in SCI)
- II. **Variety of Surgical Guides and Protocols for Bone Reduction Prior to Implant Placement: A Narrative Review**  
Mijiritsky E., Ben Zaken H., Shacham M., Cinar I. C. , Tore C., Nagy K., Ganz S. D.  
INTERNATIONAL JOURNAL OF ENVIRONMENTAL RESEARCH AND PUBLIC HEALTH, vol.18, no.5, 2021 (Journal Indexed in SCI)
- III. **Effect of soft tissue thickness on crestal bone loss of early loaded implants with platform switching: 1- and 5-year data**  
Sağlanmak A., Gültekin B. A. , Çinar İ. Ç. , Moncler S. S. , Karabuda Z. C.  
Quintessence International, no.52, pp.2-9, 2021 (Journal Indexed in SCI Expanded)
- IV. **Histologic, Histomorphometric, and Clinical Analysis of the Effects of Growth Factors in a Fibrin Network Used in Maxillary Sinus Augmentation**  
Cinar İ. Ç. , Gültekin B., Sağlanmak A., Yalcin S., Olgac V., Mijiritsky E.  
INTERNATIONAL JOURNAL OF ENVIRONMENTAL RESEARCH AND PUBLIC HEALTH, vol.17, 2020 (Journal Indexed in SCI)

### Articles Published in Other Journals

- I. **Oral İmplantolojide Lazer Kullanımı: Derleme**  
Gültekin B. A. , Çinar İ. Ç. , Yalçın S.  
Türk Dişhekimliği Dergisi, vol.24, no.93, pp.4-8, 2016 (National Non-Refereed Journal)
- II. **Sert doku defektlerinde rezorbe olmayan membranların kullanımının değerlendirilmesi**  
Gültekin B. A. , ÇİNAR İ. Ç. , Gültekin P., Yalçın S.  
Türk Dişhekimliği Dergisi, vol.23, pp.20-27, 2015 (National Non-Refereed Journal)
- III. **Sert doku defektlerinde rezorbe olmayan membranların kullanımının değerlendirilmesi: Vaka serisi**

GÜLTEKİN B. A. , Çınar İ. Ç. , GÜLTEKİN P., YALÇIN S.

Türk Dişhekimliği Dergisi, vol.23, no.92, pp.20-27, 2015 (Other Refereed National Journals)

IV. **Oral İmplantolojide Zirkonyum İmplantlar. Olgu Suunumu**

Çakır Ş., ÇİNAR İ. Ç. , Özüygür B., Gültekin B. A. , Yalçın S.

Oral İmplantoloji Dergisi, vol.13, pp.19-24, 2012 (Non-Refreed Journal)

## Books & Book Chapters

I. **Dental implants**

Çınar İ. Ç. , Gültekin B. A. , Sağlanmak A., Töre C.

in: Biomaterials, Petricia Vizureanu, Editor, Intech Open, London, pp.1-14, 2020

II. **Platelet rich fibrin applications in oral implantology**

Sağlanmak A., Çınar İ. Ç. , Gültekin B. A.

in: Platelets, Steve W. Kerrigan,Niamh moran, Editor, Intech open, London, pp.1-14, 2020

## Refereed Congress / Symposium Publications in Proceedings

I. **The effect of soft tissue thickness on crestal bone loss of early loaded implants.**

Sağlanmak A., Gültekin B. A. , Çınar İ. Ç. , Karabuda C., Moncler S. S.

EAO Digital Days, 5 - 09 October 2020, pp.180

II. **Effects of collagen membranes with different properties in peri-implant dehiscence defects**

Doğan A., Coşkun Z., Töre C., Gültekin B. A. , Çınar İ. Ç. , Sağlanmak A., Yalçın S.

EAO Digital Days, 5 - 09 October 2020, pp.132

III. **The effects of schneiderian membrane perforation on the clinical outcome of sinus lift procedures.**

Töre C., Coşkun Z., Gültekin B. A. , Çınar İ. Ç. , Sağlanmak A., Yalçın S.

EAO Digital Days, 5 - 09 October 2020, pp.265

IV. **Maksiller ve Mandibüler Tam Dişsiz Hastanın All-on-4 Tedavi Protokolü: Bir Olgu Sunumu**

ÇİNAR İ. Ç.

Türk Oral İmplantoloji Derneği 30. Uluslararası Bilimsel Kongresi, İstanbul, Turkey, 11 - 12 January 2019, pp.85

V. **Otojen Partiküllü Dentin Graft Materyallerinin Yetersiz Kemik Hacimli Bölgelerde Kullanılması**

ÇİNAR İ. Ç.

Türk Oral İmplantoloji Derneği 30. Uluslararası Bilimsel Kongresi, İstanbul, Turkey, 11 - 12 January 2019, pp.84

VI. **Konjenital Diş Eksikliğinin Multidisipliner Yaklaşımla Tedavisi: Bir Olgu Sunumu**

ÇİNAR İ. Ç.

Türk Oral İmplantoloji Derneği 30. Uluslararası Bilimsel Kongresi, İstanbul, Turkey, 11 - 12 January 2019, pp.83-84

VII. **The use of autogenous particulate dentin graft materials at insufficient bone areas- case series**

Doğan A., ÇİNAR İ. Ç. , Gültekin B. A. , Yalçın S.

European Association for Osseointegration 27th Annual Scientific Meeting, Viyana, Austria, 11 - 13 October 2018, pp.40

VIII. **Alt çene total dişsiz krette All-on-4 tedavi protokolü: Bir olgu sunumu**

Gültekin B. A. , ÇİNAR İ. Ç. , Kaya G., Töre C., Yalçın S.

Turkish society of oral implantology 29th international scientific congress, İstanbul, Turkey, 12 - 13 January 2018, pp.22

IX. **Maksillada yetersiz kemik hacminin farklı ogmentasyon teknikleri ile arttırılması: Bir olgu sunumu**

Gültekin B. A. , Doğan A., Kaya G., ÇİNAR İ. Ç. , Yalçın S.

Turkish society of oral şmplantology 28th international scientific congress, İstanbul, Turkey, 13 - 14 January 2017, pp.22

X. **Vertical-horizontal bone augmentation and the soft tissue management in the anterior aesthetic zone. A case report**

Gültekin B. A. , Tuncer C. D. , ÇİNAR İ. Ç. , Yalçın S.

Turkish society of oral şmplantology 27th international scientific congress, İstanbul, Turkey, 15 - 16 January 2016, pp.67

- XI. **Clinical approaches to treat peri-implant mucositis and peri-implantitis**  
ÇİNAR İ. Ç. , Çakır Ş., Gültekin B. A. , Yalçın S.  
Turkish society of oral implantology international symposium, Antalya, Turkey, 8 - 12 June 2015, pp.23
- XII. **Ekspoze olan titanyum destekli D-PTFE membran ile üst çenede horizontal kret ogmentasyonu: Vaka sunumu**  
Çakır Ş., Çınar İ. Ç. , Selçuk N., GÜLTEKİN B. A. , YALÇIN S.  
Turkish Society of Oral Implantology International Symposium, Antalya, Turkey, 8 - 12 June 2015, pp.25
- XIII. **Clinical approaches to treat peri-implant mucositis and peri-implantitis: A review**  
Çınar İ. Ç. , Çakır Ş., GÜLTEKİN B. A. , YALÇIN S.  
Turkish Society of Oral Implantology International Symposium, Antalya, Turkey, 8 - 12 June 2015, pp.23
- XIV. **Ekspoze olan titanyum destekli titanyum destekli D-PTFE membran ile üst çenede horizontal kret ogmentasyonu**  
Çakır Ş., ÇİNAR İ. Ç. , Selçuk N., Gültekin B. A. , Yalçın S.  
Turkish society of oral implantology international symposium, Antalya, Turkey, 8 - 12 June 2015, pp.25
- XV. **Alveoler ridge reconstructions; Augmentation or osteotomy: Case series**  
ÇİNAR İ. Ç. , Gültekin B. A. , Çakır Ş., Selçuk N., Şiraliyev A., Yalçın S.  
Turkish society of oral implantology 26th international scientific congress, İstanbul, Turkey, 16 - 17 January 2015, pp.54
- XVI. **Peri-implanter defektlerin yönlendirilmiş kemik rejenerasyonu uygulamasıyla rekonstrüksiyonu: Vaka serisi**  
Gültekin B. A. , ÇİNAR İ. Ç. , Yalçın S., Karabuda Z. C.  
İstanbul Üniversitesi Diş hekimliği Fakültesi 7. Bilimsel kongresi, İstanbul, Turkey, 19 - 22 November 2014, pp.29
- XVII. **Horizontal and vertical bone augmentation with titanium reinforced D-PTFE membranes: Case series in 8 patients**  
Çakır Ş., Gültekin B. A. , Çınar İ. Ç. , Güven G., Sağlanmak A., Yalçın S.  
European Association for Osseointegration 23rd Annual Scientific Meeting, Rome, Italy, 25 - 27 September 2014, pp.95
- XVIII. **Horizontal ridge augmentation at mandible with titanium reinforced d-ptfe membrane: a case report**  
Çakır Ş., ÇİNAR İ. Ç. , Gültekin B. A. , Yalçın S.  
Turkish society of oral implantology international symposium, Antalya, Turkey, 9 - 14 June 2014, pp.23
- XIX. **Guided bone regeneration with titanium reinforced d-PTFE membranes**  
Gültekin B. A. , Göker F., Çakır Ş., ÇİNAR İ. Ç. , Selçuk N., Yalçın S.  
Turkish society of oral şmplantology 25th international scientific congress, İstanbul, Turkey, 17 - 18 January 2014, pp.57